

LINGO

Speak

GIVE VOICE TO DESIGN VISION

MaslandTM
c o n t r a c t

MaslandTM

c o n t r a c t

Style is a statement, the expression of a design vision. Now, give full expression to your vision with Speak, a collection of exceptional modular carpet options from Masland Contract. Progressive design with outstanding quality will complete any project that Speaks to you.

How do you Speak? It's easy:

It's all about freedom of expression with Lingo. Each of its tile and plank designs can be configured in a multitude of ways to produce movement in the floorscape. The differentiating amounts of color-play in each tile build energy into commercial designs, making Lingo a well-spoken candidate for contemporary business interiors.

With Lingo modular tiles and/or planks, you are free to create movement in the visual field, using different combinations to articulate your design vision.



LINGO


Communicate in the native language of current commercial design with the geometric pattern play of Lingo. It speaks of style that performs under pressure.



24" X 24" MODULAR TILE



12" X 36" PLANK



“Speak ill of no man, but speak all the good you know of everybody.”

- Benjamin Franklin

SPEAKING OF COLOR



50800 SLANG



50801 IDIOM



50802 JIVE



50803 CHATTER



50804 SPIEL



50805 SCHMOOZE



50806 BUZZ



50807 SCUTTLEBUTT



50808 RUMBLE



monolithic



1/4 turn



brick ashlar



random



geometric combo



random combo



herringbone



vertical ashlar

CONSTRUCTION SPECIFICATIONS

Product	Lingo
Style Number	T508
Fiber Content	EarthSmart™ <i>refreshfiber</i> ® Type 6,6 nylon
Fiber Recycled Content	30%*
Gauge	1/12
Construction	Pattern Loop
Carpet Tile Size	24"W x 24"L (60.96 cm x 60.96 cm) 12"W x 36"L (30.48 cm x 91.44 cm)
Dye Method	Solution Dyed
Total Thickness	.313" (7.95 mm)
Secondary Backing	Vinyl (contains recycled content*)
GLP Certification	GLP1922

PERFORMANCE SPECIFICATIONS

Warranty	Lifetime Commercial Limited Warranty
Flammability Rating	Flooring Radiant Panel ASTM E-648 and/or NFPA 253 Greater than 0.45 watts/CM ² Class 1 (EU) BFL S 1 Surface Flammability of Carpets and Rugs (16 CFR Chapter II Subchapter D, Part 1630 CPSC FF 1-70) also referenced as ASTM D-2859
Smoke Density	Passes NBS Smoke Chamber Test ASTM E-662 (flaming mode)
Colorfastness to Light	4.0 or better
Static Rating	Less than 3.5 kV. Antistat warranted for the life of the carpet

*For detailed percentage of recycled content, contact your Masland Contract representative.

Specifications may vary slightly over the life of a product. For current specifications, please visit www.maslandcontract.com.

Lingo is 3rd party certified PLATINUM by the NSF/ANSI 140 Sustainable Carpet Standard.

The positioning of pattern elements within a tile is random. Within a product, each tile will exhibit a unique placement of the pattern elements comprising that product.

Slight variations between sample swatches and production goods are to be expected and are considered normal. Likewise, such variations will occur between production goods of different dye lots. Masland laboratory matches are obtained under cool white fluorescent lighting. Chair pads are recommended to enhance the aesthetic value and longevity of the product.

Help Us Recycle

Masland Contract's goal is to eliminate all product waste going into landfills. Help us by removing samples from folders and recycling folders through your standard paper recycling process. Forward samples to Masland by using prepaid address labels available through your Masland Contract representative.

All Masland designs are protected under the U.S. Copyright Act of 1976. Any unauthorized duplication or approximation of a Masland design constitutes copyright infringement in violation of Federal Law.



Masland™

716 Bill Myles Dr.
Saraland, AL 36571
888.633.4770
maslandcontract.com